



YBM-1000 Guardrail Pile Driver



High Quality

Yüksek kaliteli ürün ve sürdürülebilir hizmet anlayışımız, üretim süreçlerinde uyguladığımız uluslararası standartlar ve normlara dayanmaktadır.

Yeni Balkan Makina 18 yılı aşkın süredir ISO 9001, ISO 14001, OHSAS 18001 ve CE sertifikalıdır.

Our understanding of high quality products and sustainable service is based on international standards and norms that we apply in production processes.

Yeni Balkan Makina is certified according to ISO 9001, ISO 14001, OHSAS 18001 and CE for over 18 years.

Worldwide Sales

Yeni balkan makina avrupa başta olmak üzere, ortadoğu, kuzey ve güney amerika dahil dünyada 18 ülkeye ihracat yapmakta, Arnavutluk ve Makedonya'da temsilcilikleri bulunmaktadır.

Yeni Balkan Makina operates in more than 18 countries in the world, including Europe, the Middle East, North and South America. It also has representations in Albania and Macedonia.



Innovation

Yenilikçi yöntemler geliştirerek projeleri daha verimli yapıyor ve sorunları çözerek fırsata çeviriyoruz.

Makinalarımız, son teknoloji tesislerimizde, ham maddeden başlayıp nihai ürüne dönüşene kadar tam entegre bir üretim sürecinden geçmektedir.

We make projects more efficient by developing innovative methods and turn difficult problems into opportunities by solving them.

Our machines reach our state-of-the-art facilities through a fully integrated production process from raw material to final product.



YBM-1000 GUARDRAİL PILE DRIVER



- TECHNICAL DATA & STANDART EQUIPMENTS

	UNIT	VALUE
RUBBER TRACK		
DIESEL ENGINE, AIR COOLED, 3 CYLINDERS @2800rpm	kW	32
HYDROLIC HAMMER IMPACT ENERGY	joule	840
HAMMER WEIGHT	kg	300
NUMBER OF BLOWS PER MINUTE	n/min.	490-990
POST DRIVING CAPACITY	mm	190 X 140 X 3200h
HYDROLIC OIL TANK CAPACITY	lt	80
DIESEL TANK CAPACITY	lt	80
COLUMN SLOP BOTH	degree	+/- 15
FIRST SPEED	km/h	3,5
SECOND SPEED	km/h	7
TRANSPORT DIMENSIONS	mm	2000 X 4000 X 2600h
TOTAL WEIGHT	kg	3200
- OPTIONAL EQUIPMENTS		
AUTOMATIC LEVELLING		
AUGER - ROCK DRILLER		

YBM-3000 Solar Pile Driver



Compact Dizayn

Compact dizayn and the technical solutions aim at reducing cost and, lowering consumption and noise, to protect the enviroment

Reliability

We provide high customer satisfaction thaks to our customer-oriented and fast solutions



Rock Drill



Earth Auger

YBM-3000 SOLAR PILE DRIVER



• TECHNICAL DATA & STANDART EQUIPMENTS

	UNIT	VALUE
RUBBER TRACK		
DIESEL ENGINE, AIR COOLED, 3 CYLINDERS @2800rpm	kW	34-37
HYDROLIC HAMMER IMPACT ENERGY	joule	1050
HAMMER WEIGHT	kg	485
NUMBER OF BLOWS PER MINUTE	n/min.	440-880
POST DRIVING CAPACITY	mm	200 X 150 X 4200h
HYDROLIC OIL TANK CAPACITY	lt	80
DIESEL TANK CAPACITY	lt	80
COLUMN SLOP BOTH	degree	+/- 15
FIRST SPEED	km/h	3,5
SECOND SPEED	km/h	7
TRANSPORT DIMENSIONS	mm	2000 X 4000 X 2600h
TOTAL WEIGHT	kg	3700
• OPTIONAL EQUIPMENTS		
KUBOTA LIQUID COOLED DIESEL ENGINE, 4 CYLINDERS @2800rpm	kW	35,9
AUTOMATIC LEVELLING		
AUGER - ROCK DRILLER - STEEL TRACK		


YBM-3000 GÜNEŞ PANELİ DİREĞİ ÇAKMA ARACI / SOLAR PILE DRIVER MACHINE

YBM-3000
GÜNEŞ PANELİ DİREĞİ ÇAKMA ARACI

ÖZELLİKLER

ARAÇ MODELİ		YBM-3000
Dize Motor		Deutz
Motor Gücü	kW	44
Vuruş Enerjisi	Jolue	1180
Vuruş Sayısı	vuruş/dk	390-1000
Çalışma Ağırlığı	kg	400
Çalışma Basıncı	bar	250
Hidrolik Yağ Tankı	lt	80
Yakıt Deposu	lt	60
Ekipman Toplam Ağırlığı	kg	3800
Maksimum Çekiç Yüksekliği	mm	4200
Ses Seviyesi	db	127


YENİ BALKAN
MAKİNA



YBM-3000
GÜNEŞ PANELİ DİREĞİ ÇAKMA ARACI

ÖZELLİKLER

VEHICLE MODEL		YBM-3000
Disel Engine		Deutz
Engine Power	kW	44
Strike Power	Jolue	1180
Strike Number	vuruş/dk	390-1000
Working Weight	kg	400
Working Pressure	bar	250
Hydraulics Oil Tank	lt	80
Fuel Tank	lt	60
Equipment's Total Weight	kg	3800
Maximum Hammer Height	mm	4200
Sound Level	db	127


YENİ BALKAN
MAKİNA

YBM-5000 SOLAR PILE DRIVER



· TECHNICAL DATA & STANDART EQUIPMENTS

	UNIT	VALUE
RUBBER TRACK		
DIESEL ENGINE, AIR COOLED, 3 CYLINDERS @2800rpm	kW	34-37
HYDROLIC HAMMER IMPACT ENERGY	joule	1050
HAMMER WEIGHT	kg	485
NUMBER OF BLOWS PER MINUTE	n/min.	440-880
POST DRIVING CAPACITY	mm	200 X 150 X 4200h
HYDROLIC OIL TANK CAPACITY	lt	80
DIESEL TANK CAPACITY	lt	80
COLUMN SLOP BOTH	degree	+/- 15
FIRST SPEED	km/h	3,5
SECOND SPEED	km/h	7
TRANSPORT DIMENSIONS	mm	2000 X 4000 X 2600h
TOTAL WEIGHT	kg	3700
KUBOTA LIQUID COOLED DIESEL ENGINE, 4 CYLINDERS @2800rpm		
MAXIMUM HAMMER HEIGHT	mm	5500
AUTOMATIC LEVELLING - REMOTE KONTROL		
AUGER - ROCK DRILLER - STEEL TRACK		

Save Your Time, Save Your Money



Contact Info

Dempa Sanayi Sitesi
Caldiran Cad. 3793 sk. No:19-21 SUSUZ
Ankara,TURKEY

Phone: +90 (312) 395 70 38
Fax: +90 (312) 395 74 23
E-mail: info@yenibalkanmakina.com

www.yenibalkanmakina.com