




YBM-1000 Guardrail Pile Driver



YBM-1000 Guardrail Pile Driver



High Quality

High and consistent quality of products and services is rooted in our careful implementation of leading process management standards and norms.

Yeni Balkan Makina is certified according to ISO 9001 , ISO 14001,OHSAS 18001 and CE for over 10 years.

Worldwide Sales

Yeni Balkan Makina is present in over 15 markets in Europe, Central and East Asia and North Africa. A completely integrated production process, which begins with raw metal and ends with the final product, takes place in state of the art production facilities.



Innovation

We strive to develop innovative methods to construct projects more efficiently and take challenging problems and turn them into opportunities for creative solutions.



YBM-1000 Guardrail Pile Driver

Technical Specifications



STANDARD EQUIPMENT

Vtrack Rubber Tracks

DEUTZ diesel engine, air cooled,
3 cylinders, 34 kW (HP 45.6) @2800rpm

Hydraulic Hammer , INAN MAKINA
(Working Weight 300 kg, 840 Joule,
390-1000 beats,min)

Propotional command trough 9 levels

Hydraulic oil heat exchanger

Hydraulic oil tank capacity 80 lt
and level indicator

Diesel oil tank capacity 80 lt
and level indicator

Column inclination both transverse
and longitudinal +/- 15

Maximum post dimension 160x120 mm

Maximum Post Height 2.8m

Auxiliary coupling for attachments

Grappling hooks for machine
loading and unloading

Hook for pile extraction

Transport dimensions 2.7 x 2.0 x 1.9

Weight 3.2 ton



OPTIONAL

Automatic leveling the column

Kubota liquid cooled
diesel engine, 4 cylinders,
35.9 kW (HP48.1) @2800 rpm

Save Your Time, Save Your Money



Contact Info

Dempa Sanayi Sitesi
Caldiran Cad. 3793 sk. No:19-21 SUSUZ
Ankara, TURKEY

Phone: +90 (312) 395 70 38
Fax: +90 (312) 395 74 23
E-mail: info@yenibalkanmakina.com

www.yenibalkanmakina.com